

The Manual on Uniform Traffic Control Devices (MUTCD) is approved by the Federal Highway Administrator as the National Standard in accordance with Title 23 U.S. Code, Sections 109(d), 114(a), 217, 315, and 402(a), 23 CFR 655, and 49 CFR 1.48(b)(8), 1.48(b)(33), and 1.48(c)(2).

Addresses for Publications Referenced in the MUTCD

American Automobile Association (AAA)

1000 AAA Drive

Heathrow, FL 32746

www.aaa.com

800-222-4357

American Association of State Highway and Transportation Officials (AASHTO)

444 North Capitol Street, NW, Suite 249

Washington, DC 20001

www.transportation.org

202-624-5800

American National Standards Institute (ANSI)

1819 L Street, NW, 6th Floor

Washington, DC 20036

www.ansi.org

202-293-8020

American Railway Engineering and Maintenance-of-Way Association (AREMA)

10003 Derekwood Lane, Suite 210

Lanham, MD 20706

www.arema.org

301-459-3200

Federal Highway Administration Report Center

Facsimile number: 814-239-2156

report.center@fhwa.dot.gov

Illuminating Engineering Society (IES)

120 Wall Street, Floor 17

New York, NY 10005

www.iesna.org

212-248-5000

Institute of Makers of Explosives

1120 19th Street, NW, Suite 310

Washington, DC 20036-3605

www.ime.org

202-429-9280

Institute of Transportation Engineers (ITE)
1099 14th Street, NW, Suite 300 West
Washington, DC 20005-3438
www.ite.org
202-289-0222

International Organization for Standardization
1, ch. de la Voie-Creuse
Case Postale 56
CH-1211
Geneva 20, Switzerland
www.iso.ch
011-41-22-749-0111

International Safety Equipment Association (ISEA)
1901 North Moore Street, Suite 808
Arlington, VA 22209
www.safetyequipment.org
703-525-1695

National Committee on Uniform Traffic Laws and Ordinances (NCUTLO)
107 South West Street, Suite 110
Alexandria, VA 22314
www.ncutlo.org
800-807-5290

National Electrical Manufacturers Association (NEMA)
1300 North 17th Street, Suite 1752
Rosslyn, VA 22209
www.nema.org
703-841-3200

Occupational Safety and Health Administration (OSHA)
U.S. Department of Labor
200 Constitution Avenue, NW
Washington, DC 20210
www.osha.gov
800-321-6742

Transportation Research Board (TRB)
The National Academies
500 Fifth Street, NW
Washington, DC 20001
www.nas.edu/trb
202-334-3072

U.S. Architectural and Transportation Barriers Compliance Board (The U.S. Access Board)
1331 F Street, NW, Suite 1000
Washington, DC 20004-1111
www.access-board.gov
202-272-0080

(This Page Left Intentionally Blank)

2009 MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES
LIST OF PARTS, CHAPTERS, AND SECTIONS
(DELAWARE REVISION)

INTRODUCTION

PART 1. GENERAL

CHAPTER 1A. GENERAL

Section 1A.01	Purpose of Traffic Control Devices	1A-1
Section 1A.02	Principles of Traffic Control Devices	1A-1
Section 1A.03	Design of Traffic Control Devices	1A-2
Section 1A.04	Placement and Operation of Traffic Control Devices	1A-2
Section 1A.05	Maintenance of Traffic Control Devices.....	1A-2
Section 1A.06	Uniformity of Traffic Control Devices	1A-2
Section 1A.07	Responsibility for Traffic Control Devices.....	1A-2
Section 1A.08	Authority for Placement of Traffic Control Devices	1A-3
Section 1A.09	Engineering Study and Engineering Judgment	1A-4
Section 1A.10	Interpretations, Experimentations, Changes, and Interim Approvals	1A-5
Section 1A.11	Relation to Other Publications	1A-9
Section 1A.12	Color Code	1A-12
Section 1A.13	Definitions of Headings, Words, and Phrases in this Manual.....	1A-12
Section 1A.14	Meanings of Acronyms and Abbreviations in this Manual.....	1A-26
Section 1A.15	Abbreviations Used on Traffic Control Devices.....	1A-27

PART 2. SIGNS

CHAPTER 2A. GENERAL

Section 2A.01	Function and Purpose of Signs.....	2A-1
Section 2A.02	Definitions	2A-1
Section 2A.03	Standardization of Application.....	2A-1
Section 2A.04	Excessive Use of Signs.....	2A-2
Section 2A.05	Classification of Signs.....	2A-2
Section 2A.06	Design of Signs.....	2A-2
Section 2A.07	Retroreflectivity and Illumination.....	2A-3
Section 2A.08	Maintaining Minimum Retroreflectivity	2A-5
Section 2A.09	Shapes.....	2A-6
Section 2A.10	Sign Colors	2A-7
Section 2A.11	Dimensions	2A-9
Section 2A.12	Symbols	2A-9
Section 2A.13	Word Messages	2A-10
Section 2A.14	Sign Borders	2A-11
Section 2A.15	Enhanced Conspicuity for Standard Signs	2A-12
Section 2A.16	Standardization of Location	2A-12
Section 2A.17	Overhead Sign Installations.....	2A-14
Section 2A.18	Mounting Height	2A-18
Section 2A.19	Lateral Offset.....	2A-19
Section 2A.20	Orientation.....	2A-20
Section 2A.21	Posts and Mountings	2A-20
Section 2A.22	Maintenance	2A-20

Section 2A.23	Median Opening Treatments for Divided Highways with Wide Medians.....	2A-20
---------------	---	-------

CHAPTER 2B. REGULATORY SIGNS, BARRICADES, AND GATES

Section 2B.01	Application of Regulatory Signs	2B-1
Section 2B.02	Design of Regulatory Signs	2B-1
Section 2B.03	Size of Regulatory Signs	2B-1
Section 2B.04	Right-of-Way at Intersections	2B-7
Section 2B.05	STOP Sign (R1-1) and ALL WAY Plaque (R1-3P).....	2B-9
Section 2B.06	STOP Sign Applications	2B-10
Section 2B.07	Multi-Way Stop Applications	2B-10
Section 2B.08	YIELD Sign (R1-2)	2B-11
Section 2B.09	YIELD Sign Applications	2B-11
Section 2B.10	STOP Sign or YIELD Sign Placement.....	2B-11
Section 2B.11	Yield Here To Pedestrians Signs and Stop Here For Pedestrians Signs (R1-5 Series)....	2B-13
Section 2B.12	In-Street and Overhead Pedestrian Crossing Signs (R1-6, R1-6a, R1-9, and R1-9a)	2B-14
Section 2B.13	Speed Limit Sign (R2-1)	2B-16
Section 2B.14	Truck Speed Limit Plaque (R2-2P)	2B-18
Section 2B.15	Night Speed Limit Plaque (R2-3P).....	2B-18
Section 2B.16	Minimum Speed Limit Plaque (R2-4P).....	2B-18
Section 2B.17	Higher Fines Signs and Plaque (R2-6P, R2-10, and R2-11)	2B-18
Section 2B.18	Movement Prohibition Signs (R3-1 through R3-4, R3-18, and R3-27)	2B-19
Section 2B.19	Intersection Lane Control Signs (R3-5 through R3-8)	2B-21
Section 2B.20	Mandatory Movement Lane Control Signs (R3-5, R3-5a, R3-7, R3-20, and R3-20-DE)	2B-23
Section 2B.21	Optional Movement Lane Control Sign (R3-6).....	2B-24
Section 2B.22	Advance Intersection Lane Control Signs (R3-8 Series)	2B-24
Section 2B.23	RIGHT (LEFT) LANE MUST EXIT Sign (R3-33).....	2B-25
Section 2B.24	Two-Way Left Turn Only Signs (R3-9a, R3-9b)	2B-25
Section 2B.25	BEGIN and END Plaques (R3-9cP, R3-9dP).....	2B-25
Section 2B.26	Reversible Lane Control Signs (R3-9e through R3-9i).....	2B-26
Section 2B.27	Jughandle Signs (R3-23, R3-24, R3-25, and R3-26 Series)	2B-28
Section 2B.28	DO NOT PASS Sign (R4-1).....	2B-29
Section 2B.29	PASS WITH CARE Sign (R4-2).....	2B-29
Section 2B.30	KEEP RIGHT EXCEPT TO PASS Sign (R4-16) and SLOWER TRAFFIC KEEP RIGHT Sign (R4-3)	2B-35
Section 2B.31	TRUCKS KEEP RIGHT EXCEPT LEFT TURNS, NO TRUCKS LEFT LANE EXCEPT LEFT TURNS, and TRUCKS USE RIGHT LANE Signs (R4-3-DE, R4-3-DE1, and R4-5)	2B-35
Section 2B.32	Keep Right and Keep Left Signs (R4-7, R4-8)	2B-36
Section 2B.33	STAY IN LANE Sign (R4-9)	2B-36
Section 2B.34	RUNAWAY VEHICLES ONLY Sign (R4-10)	2B-36
Section 2B.35	Slow Vehicle Turn-Out Signs (R4-12, R4-13, and R4-14)	2B-37
Section 2B.36	DO NOT DRIVE ON SHOULDER Sign (R4-17) and DO NOT PASS ON SHOULDER Sign (R4-18)	2B-37
Section 2B.37	DO NOT ENTER Sign (R5-1)	2B-37
Section 2B.38	WRONG WAY Sign (R5-1a).....	2B-38
Section 2B.39	Selective Exclusion Signs	2B-38
Section 2B.40	ONE WAY Signs (R6-1, R6-2).....	2B-41
Section 2B.41	Wrong-Way Traffic Control at Interchange Ramps	2B-49
Section 2B.42	Divided Highway Crossing Signs (R6-3, R6-3a)	2B-52
Section 2B.43	Roundabout Directional Arrow Signs (R6-4, R6-4a, and R6-4b)	2B-52
Section 2B.44	Roundabout Circulation Plaque (R6-5P).....	2B-53
Section 2B.45	Examples of Roundabout Signing	2B-53
Section 2B.46	Parking, Standing, and Stopping Signs (R7 and R8 Series).....	2B-57
Section 2B.47	Design of Parking, Standing, and Stopping Signs.....	2B-60

Section 2B.48	Placement of Parking, Stopping, and Standing Signs	2B-62
Section 2B.49	Emergency Restriction Signs (R8-4, R8-7, R8-8)	2B-62
Section 2B.50	WALK ON LEFT FACING TRAFFIC and No Hitchhiking Signs (R9-1, R9-4, R9-4a)	2B-63
Section 2B.51	Pedestrian Crossing Signs (R9-2, R9-3).....	2B-65
Section 2B.52	Traffic Signal Pedestrian and Bicycle Actuation Signs (R10-1 through R10-4, and R10-24 through R10-26)	2B-65
Section 2B.53	Traffic Signal Signs (R10-5 through R10-30).....	2B-67
Section 2B.54	No Turn on Red Signs (R10-11 Series, R10-17a, and R10-30)	2B-69
Section 2B.55	Photo Enforced Signs and Plaques (R10-18, R10-18a, R10-19P, R10-19aP).....	2B-69
Section 2B.56	Ramp Metering Signs (R10-28 and R10-29).....	2B-70
Section 2B.57	KEEP OFF MEDIAN Sign (R11-1)	2B-71
Section 2B.58	ROAD CLOSED Sign (R11-2) and LOCAL TRAFFIC ONLY Signs (R11-3 Series, R11-4).....	2B-71
Section 2B.59	Weight Limit Signs (R12-1 through R12-5).....	2B-72
Section 2B.60	Weigh Station Signs (R13 Series).....	2B-72
Section 2B.61	TRUCK ROUTE Sign (R14-1)	2B-73
Section 2B.62	Hazardous Material Signs (R14-2, R14-3).....	2B-73
Section 2B.63	National Network Signs (R14-4, R14-5).....	2B-73
Section 2B.64	Headlight Use Signs (R16-5 through R16-11)	2B-74
Section 2B.65	FENDER BENDER Sign (R16-4).....	2B-74
Section 2B.66	Seat Belt Symbol	2B-75
Section 2B.67	Barricades.....	2B-75
Section 2B.68	Gates	2B-75
Section 2B.69	MOVE OVER OR REDUCE SPEED FOR STOPPED EMERGENCY AND MAINTENANCE VEHICLES Sign (SR-1-18-DE).....	2B-77
Section 2B.70	Engine Compression Brake Prohibition Sign (SR1-19-DE)	2B-77
Section 2B.71	Other Regulatory Signs (SR1-11-DE, SR1-12-DE, SR1-14-DE, SR1-15-DE)	2B-78

CHAPTER 2C.**WARNING SIGNS AND OBJECT MARKERS**

Section 2C.01	Function of Warning Signs.....	2C-1
Section 2C.02	Application of Warning Signs.....	2C-1
Section 2C.03	Design of Warning Signs.....	2C-1
Section 2C.04	Size of Warning Signs	2C-3
Section 2C.05	Placement of Warning Signs	2C-8
Section 2C.06	Horizontal Alignment Warning Signs	2C-8
Section 2C.07	Horizontal Alignment Signs (W1-1 through W1-5, W1-11, W1-15).....	2C-10
Section 2C.08	Advisory Speed Plaque (W13-1P).....	2C-13
Section 2C.09	Chevron Alignment Sign (W1-8)	2C-13
Section 2C.10	Combination Horizontal Alignment/Advisory Speed Signs (W1-1a, W1-2a)	2C-14
Section 2C.11	Combination Horizontal Alignment/Intersection Signs (W1-10 Series).....	2C-15
Section 2C.12	One-Direction Large Arrow Sign (W1-6)	2C-15
Section 2C.13	Truck Rollover Warning Sign (W1-13)	2C-15
Section 2C.14	Advisory Exit and Ramp Speed Signs (W13-2 and W13-3)	2C-16
Section 2C.15	Combination Horizontal Alignment/Advisory Exit and Ramp Speed Signs (W13-6 and W13-7).....	2C-16
Section 2C.16	Hill Signs (W7-1, W7-1a)	2C-18
Section 2C.17	Truck Escape Ramp Signs (W7-4 Series)	2C-19
Section 2C.18	HILL BLOCKS VIEW Sign (W7-6)	2C-19
Section 2C.19	ROAD NARROWS Sign (W5-1).....	2C-19
Section 2C.20	NARROW BRIDGE Sign (W5-2).....	2C-19
Section 2C.21	ONE LANE BRIDGE Sign (W5-3)	2C-20
Section 2C.22	Divided Highway Sign (W6-1).....	2C-20
Section 2C.23	Divided Highway Ends Sign (W6-2).....	2C-21
Section 2C.24	Freeway or Expressway Ends Signs (W19 Series)	2C-21

Section 2C.25	Double Arrow Sign (W12-1).....	2C-21
Section 2C.26	DEAD END/NO OUTLET Signs (W14-1, W14-1a, W14-2, W14-2a)	2C-21
Section 2C.27	Low Clearance Signs (W12-2 and W12-2a)	2C-22
Section 2C.28	BUMP and DIP Signs (W8-1, W8-2)	2C-22
Section 2C.29	SPEED HUMP Sign (W17-1)	2C-24
Section 2C.30	PAVEMENT ENDS Sign (W8-3).....	2C-24
Section 2C.31	Shoulder Signs (W8-4, W8-9, W8-17, W8-23, and W8-25)	2C-24
Section 2C.32	Surface Condition Signs (W8-5, W8-7, W8-8, W8-11, W8-13, and W8-14)	2C-25
Section 2C.33	Warning Signs and Plaques for Motorcyclists (W8-15, W8-15P, and W8-16)	2C-25
Section 2C.34	NO CENTER LINE Sign (W8-12).....	2C-25
Section 2C.35	Weather Condition Signs (W8-18, W8-19, W8-21, and W8-22)	2C-25
Section 2C.36	Advance Traffic Control Signs (W3-1, W3-2, W3-3, W3-3-DE, W3-3P-DE, W3-4)	2C-26
Section 2C.37	Advance Ramp Control Signal Signs (W3-7 and W3-8)	2C-27
Section 2C.38	Reduced Speed Limit Ahead Signs (W3-5, W3-5-DE).....	2C-27
Section 2C.39	DRAW BRIDGE Sign (W3-6)	2C-28
Section 2C.40	Merge Signs (W4-1, W4-5).....	2C-28
Section 2C.41	Added Lane Signs (W4-3, W4-6).....	2C-29
Section 2C.42	Lane Ends Signs (W4-2, W9-1, W9-2, W9-2-DE).....	2C-29
Section 2C.43	RIGHT (LEFT) LANE EXIT ONLY AHEAD Sign (W9-7)	2C-30
Section 2C.44	Two-Way Traffic Sign (W6-3).....	2C-30
Section 2C.45	NO PASSING ZONE Sign (W14-3)	2C-30
Section 2C.46	Intersection Warning Signs (W2-1 through W2-8, W21-9-DE, W21-9P-DE, W21-10-DE)	2C-31
Section 2C.47	Two-Direction Large Arrow Sign (W1-7)	2C-32
Section 2C.48	Traffic Signal Signs (W25-1, W25-2)	2C-32
Section 2C.49	Vehicular Traffic Warning Signs (W8-6, W11-1, W11-5, W11-5a, W11-8, W11-8-DE, W11-10, W11-10-DE, W11-11, W11-12P, W11-12-DE, W11-14, W11-15, W11-15a, W11-24aP-DE and W11-25-DE).....	2C-32
Section 2C.50	Non-Vehicular Warning Signs (W11-2, W11-3, W11-4, W11-6, W11-7, W11-9, W11-11DE, W11-16 through W11-22, W11-23-DE, W21-11-DE, W21-11P-DE, W21-14-DE, and W21-15-DE)	2C-34
Section 2C.51	Playground Sign (W15-1).....	2C-35
Section 2C.52	NEW TRAFFIC PATTERN AHEAD Sign (W23-2).....	2C-36
Section 2C.53	Use of Supplemental Warning Plaques	2C-37
Section 2C.54	Design of Supplemental Warning Plaques	2C-38
Section 2C.55	Distance Plaques (W16-2 Series, W16-3 Series, W16-4P, W7-3aP).....	2C-38
Section 2C.56	Supplemental Arrow Plaques (W16-5P, W16-6P).....	2C-38
Section 2C.57	Hill-Related Plaques (W7-2 Series, W7-3 Series)	2C-38
Section 2C.58	Advance Street Name Plaque (W16-8P, W16-8aP)	2C-38
Section 2C.59	CROSS TRAFFIC DOES NOT STOP Plaque (W4-4P).....	2C-39
Section 2C.60	SHARE THE ROAD Plaque (W16-1P)	2C-39
Section 2C.61	Photo Enforced Plaque (W16-10P)	2C-39
Section 2C.62	NEW and NEW TRAFFIC PATTERN Plaques (W16-15P and W23-2P-DE).....	2C-39
Section 2C.62A	STRICTLY ENFORCED Plaque (W21-12P-DE).....	2C-40
Section 2C.63	Object Marker Design and Placement Height	2C-40
Section 2C.64	Object Markers for Obstructions Within the Roadway	2C-41
Section 2C.65	Object Markers for Obstructions Adjacent to the Roadway	2C-42
Section 2C.66	Object Markers for Ends of Roadways	2C-42

CHAPTER 2D. GUIDE SIGNS—CONVENTIONAL ROADS

Section 2D.01	Scope of Conventional Road Guide Sign Standards	2D-1
Section 2D.02	Application	2D-1
Section 2D.03	Color, Retroreflection, and Illumination	2D-1
Section 2D.04	Size of Signs	2D-2
Section 2D.05	Lettering Style	2D-3

Section 2D.06	Size of Lettering	2D-4
Section 2D.07	Amount of Legend.....	2D-4
Section 2D.08	Arrows	2D-5
Section 2D.09	Numbered Highway Systems	2D-7
Section 2D.10	Route Signs and Auxiliary Signs.....	2D-7
Section 2D.11	Design of Route Signs	2D-7
Section 2D.12	Design of Route Sign Auxiliaries.....	2D-9
Section 2D.13	Junction Auxiliary Sign (M2-1)	2D-10
Section 2D.14	Combination Junction Sign (M2-2).....	2D-10
Section 2D.15	Cardinal Direction Auxiliary Signs (M3-1 through M3-4)	2D-11
Section 2D.16	Auxiliary Signs for Alternative Routes (M4 Series).....	2D-11
Section 2D.17	ALTERNATE Auxiliary Signs (M4-1, M4-1a)	2D-11
Section 2D.18	BY-PASS Auxiliary Sign (M4-2).....	2D-11
Section 2D.19	BUSINESS Auxiliary Sign (M4-3)	2D-11
Section 2D.20	TRUCK Auxiliary Sign (M4-4)	2D-11
Section 2D.21	TO Auxiliary Sign (M4-5).....	2D-12
Section 2D.22	END Auxiliary Sign (M4-6).....	2D-12
Section 2D.23	BEGIN Auxiliary Sign (M4-14).....	2D-12
Section 2D.24	TEMPORARY Auxiliary Signs (M4-7, M4-7a)	2D-12
Section 2D.25	Temporary Detour and Auxiliary Signs	2D-12
Section 2D.26	Advance Turn Arrow Auxiliary Signs (M5-1, M5-2, and M5-3)	2D-13
Section 2D.27	Lane Designation Auxiliary Signs (M5-4, M5-5, and M5-6).....	2D-13
Section 2D.28	Directional Arrow Auxiliary Signs (M6 Series)	2D-14
Section 2D.29	Route Sign Assemblies.....	2D-14
Section 2D.30	Junction Assembly	2D-19
Section 2D.31	Advance Route Turn Assembly.....	2D-19
Section 2D.32	Directional Assembly	2D-20
Section 2D.33	Combination Lane-Use/Destination Overhead Guide Sign (D15-1).....	2D-20
Section 2D.34	Confirming or Reassurance Assemblies.....	2D-21
Section 2D.35	Trailblazer Assembly	2D-21
Section 2D.36	Destination and Distance Signs.....	2D-22
Section 2D.37	Destination Signs (D1 Series)	2D-22
Section 2D.38	Destination Signs at Circular Intersections	2D-23
Section 2D.39	Destination Signs at Jughandles	2D-27
Section 2D.40	Location of Destination Signs	2D-27
Section 2D.41	Distance Signs (D2 Series).....	2D-27
Section 2D.42	Location of Distance Signs.....	2D-28
Section 2D.43	Street Name Signs (D3-1, D3-1-DEL, D3-1a)	2D-28
Section 2D.44	Advance Street Name Signs (D3-2)	2D-30
Section 2D.45	Signing on Conventional Roads on Approaches to Interchanges	2D-31
Section 2D.46	Freeway Entrance Signs (D13-3 and D13-3a).....	2D-39
Section 2D.47	Parking Area Guide Sign (D4-1).....	2D-39
Section 2D.48	PARK - RIDE Sign (D4-2).....	2D-39
Section 2D.49	Weigh Station Signing (D8 Series)	2D-40
Section 2D.50	Community Wayfinding Signs	2D-42
Section 2D.51	Truck, Passing, or Climbing Lane Signs (D17-1 and D17-2)	2D-48
Section 2D.52	Slow Vehicle Turn-Out Sign (D17-7)	2D-48
Section 2D.53	Signing of Named Highways.....	2D-49
Section 2D.54	Crossover Signs (D13-1 and D13-2)	2D-49
Section 2D.55	National Scenic Byways Signs (D6-4, D6-4a)	2D-49

CHAPTER 2E.**GUIDE SIGNS—FREEWAYS AND EXPRESSWAYS**

Section 2E.01	Scope of Freeway and Expressway Guide Sign Standards	2E-1
Section 2E.02	Freeway and Expressway Signing Principles.....	2E-1
Section 2E.03	Guide Sign Classification.....	2E-1

Section 2E.04	General	2E-2
Section 2E.05	Color of Guide Signs	2E-2
Section 2E.06	Retroreflection or Illumination.....	2E-2
Section 2E.07	Characteristics of Urban Signing	2E-2
Section 2E.08	Characteristics of Rural Signing	2E-3
Section 2E.09	Signing of Named Highways.....	2E-3
Section 2E.10	Amount of Legend on Guide Signs	2E-3
Section 2E.11	Number of Signs at an Overhead Installation and Sign Spreading	2E-3
Section 2E.12	Pull-Through Signs (E6-2, E6-2a).....	2E-4
Section 2E.13	Designation of Destinations	2E-5
Section 2E.14	Size and Style of Letters and Signs	2E-5
Section 2E.15	Interline and Edge Spacing.....	2E-6
Section 2E.16	Sign Borders	2E-6
Section 2E.17	Abbreviations	2E-15
Section 2E.18	Symbols	2E-15
Section 2E.19	Arrows for Interchange Guide Signs.....	2E-15
Section 2E.20	Signing for Option Lanes at Splits and Multi-Lane Exits.....	2E-16
Section 2E.21	Design of Overhead Arrow-per-Lane Guide Signs for Option Lanes.....	2E-16
Section 2E.22	Design of Freeway and Expressway Diagrammatic Guide Signs for Option Lanes.....	2E-16
Section 2E.23	Signing for Intermediate and Minor Interchange Multi-Lane Exits with an Option Lane	2E-26
Section 2E.24	Signing for Interchange Lane Drops	2E-29
Section 2E.25	Overhead Sign Installations.....	2E-29
Section 2E.26	Lateral Offset.....	2E-30
Section 2E.27	Route Signs and Trailblazer Assemblies.....	2E-34
Section 2E.28	Eisenhower Interstate System Signs (M1-10, M1-10a).....	2E-35
Section 2E.29	Signs for Intersections at Grade	2E-35
Section 2E.30	Interchange Guide Signs.....	2E-35
Section 2E.31	Interchange Exit Numbering	2E-36
Section 2E.32	Interchange Classification	2E-37
Section 2E.33	Advance Guide Signs	2E-37
Section 2E.34	Next Exit Plaques	2E-41
Section 2E.35	Other Supplemental Guide Signs	2E-43
Section 2E.36	Exit Direction Signs	2E-44
Section 2E.37	Exit Gore Signs (E5-1 Series)	2E-47
Section 2E.38	Post-Interchange Signs	2E-48
Section 2E.39	Post-Interchange Distance Signs	2E-48
Section 2E.40	Interchange Sequence Signs	2E-49
Section 2E.41	Community Interchanges Identification Signs	2E-51
Section 2E.42	NEXT XX EXITS Sign.....	2E-51
Section 2E.43	Signing by Type of Interchange	2E-52
Section 2E.44	Freeway-to-Freeway Interchange	2E-52
Section 2E.45	Cloverleaf Interchange	2E-55
Section 2E.46	Cloverleaf Interchange with Collector-Distributor Roadways.....	2E-55
Section 2E.47	Partial Cloverleaf Interchange.....	2E-58
Section 2E.48	Diamond Interchange	2E-58
Section 2E.49	Diamond Interchange in Urban Area	2E-61
Section 2E.50	Closely-Spaced Interchanges.....	2E-61
Section 2E.51	Minor Interchange	2E-61
Section 2E.52	Signing on Conventional Road Approaches and Connecting Roadways.....	2E-61
Section 2E.53	Wrong-Way Traffic Control at Interchange Ramps	2E-61
Section 2E.54	Weigh Station Signing.....	2E-63

CHAPTER 2F.**TOLL ROAD SIGNS**

Section 2F.01

Scope	2F-1
-------------	------

Section 2F.02	Sizes of Toll Road Signs	2F-1
Section 2F.03	Use of Purple Backgrounds and Underlay Panels with ETC Account Pictographs.....	2F-2
Section 2F.04	Size of ETC Pictographs	2F-2
Section 2F.05	Regulatory Signs for Toll Plazas.....	2F-3
Section 2F.06	Pay Toll Advance Warning Sign (W9-6)	2F-5
Section 2F.07	Pay Toll Advance Warning Plaque (W9-6P)	2F-6
Section 2F.08	Stop Ahead Pay Toll Warning Sign (W9-6a).....	2F-6
Section 2F.09	Stop Ahead Pay Toll Warning Plaque (W9-6aP).....	2F-6
Section 2F.10	LAST EXIT BEFORE TOLL Warning Plaque (W16-16P).....	2F-7
Section 2F.11	TOLL Auxiliary Sign (M4-15).....	2F-7
Section 2F.12	Electronic Toll Collection (ETC) Account-Only Auxiliary Signs (M4-16 and M4-20)....	2F-7
Section 2F.13	Toll Facility and Toll Plaza Guide Signs – General.....	2F-8
Section 2F.14	Advance Signs for Conventional Toll Plazas.....	2F-12
Section 2F.15	Advance Signs for Toll Plazas on Diverging Alignments from Open-Road ETC Account-Only Lanes	2F-16
Section 2F.16	Toll Plaza Canopy Signs	2F-16
Section 2F.17	Guide Signs for Entrances to ETC Account-Only Facilities.....	2F-18
Section 2F.18	ETC Program Information Signs.....	2F-18

CHAPTER 2G.**PREFERENTIAL AND MANAGED LANE SIGNS**

Section 2G.01	Scope	2G-1
Section 2G.02	Sizes of Preferential and Managed Lane Signs	2G-1
Section 2G.03	Regulatory Signs for Preferential Lanes – General.....	2G-1
Section 2G.04	Preferential Lane Vehicle Occupancy Definition Regulatory Signs (R3-10 Series and R3-13 Series)	2G-7
Section 2G.05	Preferential Lane Periods of Operation Regulatory Signs (R3-11 Series and R3-14 Series).....	2G-8
Section 2G.06	Preferential Lane Advance Regulatory Signs (R3-12, R3-12e, R3-12f, R3-15, R3-15a, and R3-15d).....	2G-12
Section 2G.07	Preferential Lane Ends Regulatory Signs (R3-12a, R3-12b, R3-12c, R3-12d, R3-12g, R3-12h, R3-15b, R3-15c, and R3-15e).....	2G-12
Section 2G.08	Warning Signs on Median Barriers for Preferential Lanes	2G-12
Section 2G.09	High-Occupancy Vehicle (HOV) Plaque (W16-11P)	2G-13
Section 2G.10	Preferential Lane Guide Signs – General	2G-13
Section 2G.11	Guide Signs for Initial Entry Points to Preferential Lanes	2G-17
Section 2G.12	Guide Signs for Intermediate Entry Points to Preferential Lanes	2G-18
Section 2G.13	Guide Signs for Egress from Preferential Lanes to General-Purpose Lanes	2G-20
Section 2G.14	Guide Signs for Direct Entrances to Preferential Lanes from Another Highway.....	2G-23
Section 2G.15	Guide Signs for Direct Exits from Preferential Lanes to Another Highway	2G-26
Section 2G.16	Signs for Priced Managed Lanes – General	2G-29
Section 2G.17	Regulatory Signs for Priced Managed Lanes	2G-30
Section 2G.18	Guide Signs for Priced Managed Lanes	2G-32

CHAPTER 2H.**GENERAL INFORMATION SIGNS**

Section 2H.01	Sizes of General Information Signs.....	2H-1
Section 2H.02	General Information Signs (I Series).....	2H-1
Section 2H.03	Traffic Signal Speed Sign (II-1)	2H-3
Section 2H.04	Miscellaneous Information Signs	2H-4
Section 2H.05	Reference Location Signs (D10-1 through D10-3) and Intermediate Reference Location Signs (D10-1a through D10-3a).....	2H-4
Section 2H.06	Enhanced Reference Location Signs (D10-4, D10-5).....	2H-6
Section 2H.07	Auto Tour Route Signs.....	2H-7
Section 2H.08	Acknowledgment Signs	2H-8

CHAPTER 2I.**GENERAL SERVICE SIGNS**

Section 2I.01	Sizes of General Service Signs.....	2I-1
Section 2I.02	General Service Signs for Conventional Roads	2I-2
Section 2I.03	General Service Signs for Freeways and Expressways.....	2I-5
Section 2I.04	Interstate Oasis Signing.....	2I-8
Section 2I.05	Rest Area and Other Roadside Area Signs.....	2I-10
Section 2I.06	Brake Check Area Signs (D5-13 and D5-14).....	2I-11
Section 2I.07	Chain-Up Area Signs (D5-15 and D5-16).....	2I-11
Section 2I.08	Tourist Information and Welcome Center Signs.....	2I-11
Section 2I.09	Radio Information Signing	2I-13
Section 2I.10	TRAVEL INFO CALL 511 Signs (D12-5 and D12-5a)	2I-15
Section 2I.11	Carpool and Ridesharing Signing.....	2I-15

CHAPTER 2J.**SPECIFIC SERVICE SIGNS**

Section 2J.01	Eligibility.....	2J-1
Section 2J.02	Application	2J-3
Section 2J.03	Logos and Logo Sign Panels	2J-3
Section 2J.04	Number and Size of Signs and Logo Sign Panels	2J-8
Section 2J.05	Size of Lettering	2J-8
Section 2J.06	Signs at Interchanges	2J-8
Section 2J.07	Single-Exit Interchanges	2J-9
Section 2J.08	Double-Exit Interchanges	2J-9
Section 2J.09	Specific Service Trailblazer Signs	2J-9
Section 2J.10	Signs at Intersections.....	2J-10
Section 2J.11	Signing Policy	2J-11

CHAPTER 2K.**TOURIST-ORIENTED DIRECTIONAL SIGNS**

Section 2K.01	Purpose and Application	2K-1
Section 2K.02	Design.....	2K-1
Section 2K.03	Style and Size of Lettering	2K-2
Section 2K.04	Arrangement and Size of Signs	2K-2
Section 2K.05	Advance Signs	2K-5
Section 2K.06	Sign Locations.....	2K-5
Section 2K.07	State Policy.....	2K-6

CHAPTER 2L.**CHANGEABLE MESSAGE SIGNS**

Section 2L.01	Description of Changeable Message Signs	2L-1
Section 2L.02	Applications of Changeable Message Signs	2L-1
Section 2L.03	Legibility and Visibility of Changeable Message Signs	2L-2
Section 2L.04	Design Characteristics of Changeable Message Signs.....	2L-2
Section 2L.05	Message Length and Units of Information.....	2L-4
Section 2L.06	Installation of Permanent Changeable Message Signs.....	2L-5

CHAPTER 2M.**RECREATIONAL AND CULTURAL INTEREST AREA SIGNS**

Section 2M.01	Scope	2M-1
Section 2M.02	Application of Recreational and Cultural Interest Area Signs	2M-1
Section 2M.03	Regulatory and Warning Signs.....	2M-1
Section 2M.04	General Design Requirements for Recreational and Cultural Interest Area Symbol Guide Signs	2M-2
Section 2M.05	Symbol Sign Sizes	2M-2
Section 2M.06	Use of Educational Plaques.....	2M-2
Section 2M.07	Use of Prohibitive Circle and Diagonal Slash for Non-Road Applications	2M-2
Section 2M.08	Placement of Recreational and Cultural Interest Area Symbol Signs.....	2M-4
Section 2M.09	Destination Guide Signs	2M-12
Section 2M.10	Memorial or Dedication Signing.....	2M-13

CHAPTER 2N. EMERGENCY MANAGEMENT SIGNING

Section 2N.01	Emergency Management	2N-1
Section 2N.02	Design of Emergency Management Signs.....	2N-1
Section 2N.03	Evacuation Route Signs (EM-1, EM-1-DE, and EM-1a)	2N-2
Section 2N.04	AREA CLOSED Sign (EM-2)	2N-3
Section 2N.05	TRAFFIC CONTROL POINT Sign (EM-3)	2N-3
Section 2N.06	MAINTAIN TOP SAFE SPEED Sign (EM-4)	2N-4
Section 2N.07	ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC Sign (EM-5).....	2N-4
Section 2N.08	Emergency Aid Center Signs (EM-6 Series).....	2N-4
Section 2N.09	Shelter Directional Signs (EM-7 Series).....	2N-5
Section 2N.10	Emergency Siren Sign (EM-7-DE).....	2N-6

PART 3. MARKINGS**CHAPTER 3A. GENERAL**

Section 3A.01	Functions and Limitations	3A-1
Section 3A.02	Standardization of Application.....	3A-1
Section 3A.03	Maintaining Minimum Pavement Marking Retroreflectivity.....	3A-1
Section 3A.04	Materials.....	3A-1
Section 3A.05	Colors	3A-2
Section 3A.06	Functions, Widths, and Patterns of Longitudinal Pavement Markings.....	3A-2

CHAPTER 3B. PAVEMENT AND CURB MARKINGS

Section 3B.01	Yellow Center Line Pavement Markings and Warrants.....	3B-1
Section 3B.02	No-Passing Zone Pavement Markings and Warrants	3B-4
Section 3B.03	Other Yellow Longitudinal Pavement Markings	3B-8
Section 3B.04	White Lane Line Pavement Markings and Warrants	3B-10
Section 3B.05	Other White Longitudinal Pavement Markings	3B-35
Section 3B.06	Edge Line Pavement Markings.....	3B-36
Section 3B.07	Warrants for Use of Edge Lines	3B-37
Section 3B.08	Extensions Through Intersections or Interchanges	3B-37
Section 3B.09	Lane-Reduction Transition Markings	3B-40
Section 3B.10	Approach Markings for Obstructions.....	3B-45
Section 3B.11	Raised Pavement Markers – General	3B-48
Section 3B.12	Raised Pavement Markers as Vehicle Positioning Guides with Other Longitudinal Markings.....	3B-57
Section 3B.13	Raised Pavement Markers Supplementing Other Markings	3B-57
Section 3B.14	Raised Pavement Markers Substituting for Pavement Markings	3B-58
Section 3B.15	Transverse Markings	3B-58
Section 3B.16	Stop and Yield Lines	3B-59
Section 3B.17	Do Not Block Intersection Markings	3B-61
Section 3B.18	Crosswalk Markings	3B-62
Section 3B.19	Parking Space Markings.....	3B-64
Section 3B.20	Pavement Word, Symbol, and Arrow Markings	3B-67
Section 3B.21	Speed Measurement Markings	3B-74
Section 3B.22	Speed Reduction Markings	3B-74
Section 3B.23	Curb Markings.....	3B-75
Section 3B.24	Chevron and Diagonal Crosshatch Markings.....	3B-76
Section 3B.25	Speed Hump Markings	3B-77
Section 3B.26	Advance Speed Hump Markings	3B-77

CHAPTER 3C. ROUNDABOUT MARKINGS

Section 3C.01	General	3C-1
Section 3C.02	White Lane Line Pavement Markings for Roundabouts	3C-1

Section 3C.03	Edge Line Pavement Markings for Roundabout Circulatory Roadways	3C-1
Section 3C.04	Yield Lines for Roundabouts	3C-2
Section 3C.05	Crosswalk Markings at Roundabouts.....	3C-2
Section 3C.06	Word, Symbol, and Arrow Pavement Markings for Roundabouts.....	3C-2
Section 3C.07	Markings for Other Circular Intersections	3C-2

CHAPTER 3D. MARKINGS FOR PREFERENTIAL LANES

Section 3D.01	Preferential Lane Word and Symbol Markings.....	3D-1
Section 3D.02	Preferential Lane Longitudinal Markings for Motor Vehicles	3D-2

CHAPTER 3E. MARKINGS FOR TOLL PLAZAS

Section 3E.01	Markings for Toll Plazas	3E-1
---------------	--------------------------------	------

CHAPTER 3F. DELINEATORS

Section 3F.01	Delineators.....	3F-1
Section 3F.02	Delineator Design.....	3F-1
Section 3F.03	Delineator Application	3F-1
Section 3F.04	Delineator Placement and Spacing.....	3F-3

CHAPTER 3G. COLORED PAVEMENTS

Section 3G.01	General	3G-1
---------------	---------------	------

CHAPTER 3H. CHANNELIZING DEVICES USED FOR EMPHASIS OF PAVEMENT MARKING PATTERNS

Section 3H.01	Channelizing Devices	3H-1
---------------	----------------------------	------

CHAPTER 3I. ISLANDS

Section 3I.01	General	3I-1
Section 3I.02	Approach-End Treatment	3I-1
Section 3I.03	Island Marking Application.....	3I-1
Section 3I.04	Island Marking Colors	3I-1
Section 3I.05	Island Delineation.....	3I-2
Section 3I.06	Pedestrian Islands and Medians	3I-2

CHAPTER 3J. RUMBLE STRIP MARKINGS

Section 3J.01	Longitudinal Rumble Strip Markings.....	3J-1
Section 3J.02	Transverse Rumble Strip Markings.....	3J-1

PART 4. HIGHWAY TRAFFIC SIGNALS

CHAPTER 4A. GENERAL

Section 4A.01	Types	4A-1
Section 4A.02	Definitions Relating to Highway Traffic Signals.....	4A-1

CHAPTER 4B. TRAFFIC CONTROL SIGNALS—GENERAL

Section 4B.01	General	4B-1
Section 4B.02	Basis of Installation or Removal of Traffic Control Signals.....	4B-1
Section 4B.03	Advantages and Disadvantages of Traffic Control Signals.....	4B-1
Section 4B.04	Alternatives to Traffic Control Signals	4B-2
Section 4B.05	Adequate Roadway Capacity	4B-2

CHAPTER 4C. TRAFFIC CONTROL SIGNAL NEEDS STUDIES

Section 4C.01	Studies and Factors for Justifying Traffic Control Signals.....	4C-1
Section 4C.02	Warrant 1, Eight-Hour Vehicular Volume	4C-3

Section 4C.03	Warrant 2, Four-Hour Vehicular Volume	4C-4
Section 4C.04	Warrant 3, Peak Hour	4C-5
Section 4C.05	Warrant 4, Pedestrian Volume	4C-6
Section 4C.06	Warrant 5, School Crossing.....	4C-10
Section 4C.07	Warrant 6, Coordinated Signal System	4C-11
Section 4C.08	Warrant 7, Crash Experience	4C-11
Section 4C.09	Warrant 8, Roadway Network.....	4C-11
Section 4C.10	Warrant 9, Intersection Near a Grade Crossing	4C-12

CHAPTER 4D.**TRAFFIC CONTROL SIGNAL FEATURES**

Section 4D.01	General	4D-1
Section 4D.02	Responsibility for Operation and Maintenance.....	4D-1
Section 4D.03	Provisions for Pedestrians	4D-2
Section 4D.04	Meaning of Vehicular Signal Indications.....	4D-2
Section 4D.05	Application of Steady Signal Indications	4D-5
Section 4D.06	Signal Indications – Design, Illumination, Color, and Shape	4D-8
Section 4D.07	Size of Vehicular Signal Indications	4D-9
Section 4D.08	Positions of Signal Indications Within a Signal Face – General.....	4D-10
Section 4D.09	Positions of Signal Indications Within a Vertical Signal Face	4D-11
Section 4D.10	Positions of Signal Indications Within a Horizontal Signal Face	4D-12
Section 4D.11	Number of Signal Faces on an Approach.....	4D-13
Section 4D.12	Visibility, Aiming, and Shielding of Signal Faces	4D-15
Section 4D.13	Lateral Positioning of Signal Faces.....	4D-17
Section 4D.14	Longitudinal Positioning of Signal Faces	4D-18
Section 4D.15	Mounting Height of Signal Faces.....	4D-18
Section 4D.16	Lateral Offset (Clearance) of Signal Faces	4D-19
Section 4D.17	Signal Indications for Left-Turn Movements – General	4D-20
Section 4D.18	Signal Indications for Permissive Only Mode Left-Turn Movements	4D-21
Section 4D.19	Signal Indications for Protected Only Mode Left-Turn Movements	4D-24
Section 4D.20	Signal Indications for Protected/Permissive Mode Left-Turn Movements.....	4D-26
Section 4D.21	Signal Indications for Right-Turn Movements – General	4D-29
Section 4D.22	Signal Indications for Permissive Only Mode Right-Turn Movements.....	4D-31
Section 4D.23	Signal Indications for Protected Only Mode Right-Turn Movements	4D-34
Section 4D.24	Signal Indications for Protected/Permissive Mode Right-Turn Movements	4D-37
Section 4D.25	Signal Indications for Approaches With Shared Left-Turn/Right-Turn Lanes and No Through Movement	4D-41
Section 4D.26	Yellow Change and Red Clearance Intervals.....	4D-45
Section 4D.27	Preemption and Priority Control of Traffic Control Signals.....	4D-46
Section 4D.28	Flashing Operation of Traffic Control Signals – General	4D-48
Section 4D.29	Flashing Operation – Transition Into Flashing Mode	4D-48
Section 4D.30	Flashing Operation – Signal Indications During Flashing Mode	4D-49
Section 4D.31	Flashing Operation – Transition Out of Flashing Mode	4D-49
Section 4D.32	Temporary and Portable Traffic Control Signals	4D-50
Section 4D.33	Lateral Offset of Signal Supports and Cabinets	4D-50
Section 4D.34	Use of Signs at Signalized Locations	4D-51
Section 4D.35	Use of Pavement Markings at Signalized Locations	4D-51

CHAPTER 4E.**PEDESTRIAN CONTROL FEATURES**

Section 4E.01	Pedestrian Signal Heads	4E-1
Section 4E.02	Meaning of Pedestrian Signal Head Indications	4E-1
Section 4E.03	Application of Pedestrian Signal Heads.....	4E-1
Section 4E.04	Size, Design, and Illumination of Pedestrian Signal Head Indications.....	4E-2
Section 4E.05	Location and Height of Pedestrian Signal Heads.....	4E-3
Section 4E.06	Pedestrian Intervals and Signal Phases	4E-3
Section 4E.07	Countdown Pedestrian Signals	4E-6

Section 4E.08	Pedestrian Detectors	4E-7
Section 4E.09	Accessible Pedestrian Signals and Detectors – General	4E-11
Section 4E.10	Accessible Pedestrian Signals and Detectors – Location.....	4E-12
Section 4E.11	Accessible Pedestrian Signals and Detectors – Walk Indications.....	4E-13
Section 4E.12	Accessible Pedestrian Signals and Detectors – Tactile Arrows and Locator Tones.....	4E-15
Section 4E.13	Accessible Pedestrian Signals and Detectors – Extended Pushbutton Press Features....	4E-15

CHAPTER 4F.**PEDESTRIAN HYBRID BEACONS**

Section 4F.01	Application of Pedestrian Hybrid Beacons	4F-1
Section 4F.02	Design of Pedestrian Hybrid Beacons.....	4F-1
Section 4F.03	Operation of Pedestrian Hybrid Beacons	4F-4

CHAPTER 4G.**TRAFFIC CONTROL SIGNALS AND HYBRID BEACONS FOR
EMERGENCY-VEHICLE ACCESS**

Section 4G.01	Application of Emergency-Vehicle Traffic Control Signals and Hybrid Beacons	4G-1
Section 4G.02	Design of Emergency-Vehicle Traffic Control Signals	4G-1
Section 4G.03	Operation of Emergency-Vehicle Traffic Control Signals.....	4G-2
Section 4G.04	Emergency-Vehicle Hybrid Beacons	4G-2

CHAPTER 4H.**TRAFFIC CONTROL SIGNALS FOR ONE-LANE, TWO-WAY FACILITIES**

Section 4H.01	Application of Traffic Control Signals for One-Lane, Two-Way Facilities	4H-1
Section 4H.02	Design of Traffic Control Signals for One-Lane, Two-Way Facilities.....	4H-1
Section 4H.03	Operation of Traffic Control Signals for One-Lane, Two-Way Facilities.....	4H-1

CHAPTER 4I.**TRAFFIC CONTROL SIGNALS FOR FREEWAY ENTRANCE RAMPS**

Section 4I.01	Application of Freeway Entrance Ramp Control Signals	4I-1
Section 4I.02	Design of Freeway Entrance Ramp Control Signals.....	4I-1
Section 4I.03	Operation of Freeway Entrance Ramp Control Signals	4I-2

CHAPTER 4J. TRAFFIC CONTROL FOR MOVABLE BRIDGES

Section 4J.01	Application of Traffic Control for Movable Bridges.....	4J-1
Section 4J.02	Design and Location of Movable Bridge Signals and Gates.....	4J-1
Section 4J.03	Operation of Movable Bridge Signals and Gates.....	4J-3

CHAPTER 4K.**HIGHWAY TRAFFIC SIGNALS AT TOLL PLAZAS**

Section 4K.01	Traffic Signals at Toll Plazas	4K-1
Section 4K.02	Lane-Use Control Signals at or Near Toll Plazas.....	4K-1
Section 4K.03	Warning Beacons at Toll Plazas.....	4K-1

CHAPTER 4L.**FLASHING BEACONS**

Section 4L.01	General Design and Operation of Flashing Beacons.....	4L-1
Section 4L.02	Intersection Control Beacon.....	4L-1
Section 4L.03	Warning Beacon	4L-2
Section 4L.04	Speed Limit Sign Beacon	4L-2
Section 4L.05	Stop Beacon.....	4L-3

CHAPTER 4M.**LANE-USE CONTROL SIGNALS**

Section 4M.01	Application of Lane-Use Control Signals	4M-1
Section 4M.02	Meaning of Lane-Use Control Signal Indications.....	4M-1
Section 4M.03	Design of Lane-Use Control Signals.....	4M-2
Section 4M.04	Operation of Lane-Use Control Signals	4M-3

CHAPTER 4N. IN-ROADWAY LIGHTS

Section 4N.01	Application of In-Roadway Lights	4N-1
Section 4N.02	In-Roadway Warning Lights at Crosswalks.....	4N-1

PART 5. TRAFFIC CONTROL DEVICES FOR LOW-VOLUME ROADS**CHAPTER 5A. GENERAL**

Section 5A.01	Function.....	5A-1
Section 5A.02	Application	5A-1
Section 5A.03	Design.....	5A-1
Section 5A.04	Placement	5A-3

CHAPTER 5B. REGULATORY SIGNS

Section 5B.01	Introduction	5B-1
Section 5B.02	STOP and YIELD Signs (R1-1 and R1-2)	5B-1
Section 5B.03	Speed Limit Signs (R2 Series)	5B-1
Section 5B.04	Traffic Movement and Prohibition Signs (R3, R4, R5, R6, R9, R10, R11, R12, R13 and R14 Series)	5B-2
Section 5B.05	Parking Signs (R8 Series).....	5B-2
Section 5B.06	Other Regulatory Signs	5B-2

CHAPTER 5C. WARNING SIGNS

Section 5C.01	Introduction	5C-1
Section 5C.02	Horizontal Alignment Signs (W1-1 through W1-8).....	5C-1
Section 5C.03	Intersection Warning Signs (W2-1 through W2-6)	5C-1
Section 5C.04	Stop Ahead and Yield Ahead Signs (W3-1, W3-2)	5C-1
Section 5C.05	NARROW BRIDGE Sign (W5-2).....	5C-1
Section 5C.06	ONE LANE BRIDGE Sign (W5-3)	5C-1
Section 5C.07	Hill Sign (W7-1).....	5C-4
Section 5C.08	PAVEMENT ENDS Sign (W8-3).....	5C-4
Section 5C.09	Vehicular Traffic Warning and Non-Vehicular Warning Signs (W11 Series and W8-6) .	5C-4
Section 5C.10	Advisory Speed Plaque (W13-1P).....	5C-4
Section 5C.11	DEAD END or NO OUTLET Signs (W14-1, W14-1a, W14-2, W14-2a).....	5C-4
Section 5C.12	NO TRAFFIC SIGNS Sign (W18-1)	5C-4
Section 5C.13	Other Warning Signs	5C-5
Section 5C.14	Object Markers and Barricades	5C-5

CHAPTER 5D. GUIDE SIGNS

Section 5D.01	Introduction	5D-1
---------------	--------------------	------

CHAPTER 5E. MARKINGS

Section 5E.01	Introduction	5E-1
Section 5E.02	Center Line Markings.....	5E-1
Section 5E.03	Edge Line Markings	5E-1
Section 5E.04	Delineators.....	5E-1
Section 5E.05	Other Markings.....	5E-1

CHAPTER 5F. TRAFFIC CONTROL FOR HIGHWAY-RAIL GRADE CROSSINGS

Section 5F.01	Introduction	5F-1
Section 5F.02	Grade Crossing (Crossbuck) Sign and Number of Tracks Plaque (R15-1, R15-2P)	5F-1
Section 5F.03	Grade Crossing Advance Warning Signs (W10 Series).....	5F-2
Section 5F.04	STOP and YIELD Signs (R1-1, R1-2)	5F-2
Section 5F.05	Pavement Markings	5F-2

Section 5F.06	Other Traffic Control Devices.....	5F-2
CHAPTER 5G. TEMPORARY TRAFFIC CONTROL ZONES		
Section 5G.01	Introduction	5G-1
Section 5G.02	Applications.....	5G-1
Section 5G.03	Channelization Devices	5G-2
Section 5G.04	Markings.....	5G-2
Section 5G.05	Other Traffic Control Devices.....	5G-2
CHAPTER 5H. TRAFFIC CONTROL FOR SCHOOL AREAS		
Section 5H.01	Introduction	5H-1
PART 6. TEMPORARY TRAFFIC CONTROL		
CHAPTER 6A. GENERAL		
Section 6A.01	General	6A-1
CHAPTER 6B. FUNDAMENTAL PRINCIPLES		
Section 6B.01	Fundamental Principles of Temporary Traffic Control.....	6B-1
CHAPTER 6C. TEMPORARY TRAFFIC CONTROL ELEMENTS		
Section 6C.01	Temporary Traffic Control Plans	6C-1
Section 6C.02	Temporary Traffic Control Zones	6C-2
Section 6C.03	Components of Temporary Traffic Control Zones.....	6C-2
Section 6C.04	Advance Warning Area	6C-2
Section 6C.05	Transition Area.....	6C-4
Section 6C.06	Activity Area	6C-5
Section 6C.07	Termination Area	6C-7
Section 6C.08	Tapers	6C-7
Section 6C.09	Detours and Diversions	6C-10
Section 6C.10	One-Lane, Two-Way Traffic Control.....	6C-10
Section 6C.11	Flagger Method of One-Lane, Two-Way Traffic Control.....	6C-10
Section 6C.12	Flag Transfer Method of One-Lane, Two-Way Traffic Control.....	6C-11
Section 6C.13	Pilot Car Method of One-Lane, Two-Way Traffic Control	6C-11
Section 6C.14	Temporary Traffic Control Signal Method of One-Lane, Two-Way Traffic Control	6C-11
Section 6C.15	Stop or Yield Control Method of One-Lane, Two-Way Traffic Control.....	6C-11
CHAPTER 6D. PEDESTRIAN AND WORKER SAFETY		
Section 6D.01	Pedestrian Considerations	6D-1
Section 6D.02	Accessibility Considerations	6D-3
Section 6D.03	Worker Safety Considerations.....	6D-4
CHAPTER 6E. FLAGGER CONTROL		
Section 6E.01	Qualifications for Flaggers.....	6E-1
Section 6E.02	High-Visibility Safety Apparel	6E-1
Section 6E.03	Hand-Signaling Devices	6E-1
Section 6E.04	Automated Flagger Assistance Devices	6E-3
Section 6E.05	STOP/SLOW Automated Flagger Assistance Devices	6E-4
Section 6E.06	Red/Yellow Lens Automated Flagger Assistance Devices	6E-6
Section 6E.07	Flagger Procedures	6E-8
Section 6E.08	Flagger Stations	6E-11
CHAPTER 6F. TEMPORARY TRAFFIC CONTROL ZONE DEVICES		
Section 6F.01	Types of Devices	6F-1

Section 6F.02	General Characteristics of Signs	6F-1
Section 6F.03	Sign Placement	6F-2
Section 6F.04	Sign Maintenance	6F-11
Section 6F.05	Regulatory Sign Authority	6F-11
Section 6F.06	Regulatory Sign Design.....	6F-11
Section 6F.07	Regulatory Sign Applications	6F-11
Section 6F.08	ROAD (STREET) CLOSED Sign (R11-2).....	6F-11
Section 6F.09	Local Traffic Only Signs (R11-3a, R11-4).....	6F-12
Section 6F.10	Weight Limit Signs (R12-1, R12-2, R12-5).....	6F-12
Section 6F.11	STAY IN LANE Sign (R4-9).....	6F-12
Section 6F.12	Work Zone and Higher Fines Signs and Plaques	6F-12
Section 6F.13	PEDESTRIAN CROSSWALK Sign (R9-8)	6F-13
Section 6F.14	SIDEWALK CLOSED Signs (R9-9, R9-10, R9-11, R9-11a).....	6F-13
Section 6F.15	Special Regulatory Signs.....	6F-13
Section 6F.16	Warning Sign Function, Design, and Application	6F-14
Section 6F.17	Position of Advance Warning Signs	6F-14
Section 6F.18	ROAD (STREET) WORK Sign (W20-1)	6F-18
Section 6F.19	DETOUR Sign (W20-2).....	6F-18
Section 6F.20	ROAD (STREET) CLOSED Sign (W20-3).....	6F-18
Section 6F.21	ONE LANE ROAD Sign (W20-4).....	6F-18
Section 6F.22	Lane(s) Closed Signs (W20-5, W20-5a)	6F-18
Section 6F.23	CENTER LANE CLOSED AHEAD Sign (W9-3)	6F-19
Section 6F.24	Lane Ends Sign (W4-2) and MERGE (LEFT or RIGHT) Sign (W4-2-DE)	6F-19
Section 6F.25	ON RAMP Plaque (W13-4P)	6F-19
Section 6F.26	RAMP NARROWS Sign (W5-4).....	6F-19
Section 6F.27	SLOW TRAFFIC AHEAD Sign (W23-1)	6F-19
Section 6F.28	EXIT OPEN and EXIT CLOSED Signs (E5-2, E5-2a)	6F-19
Section 6F.29	EXIT ONLY Sign (E5-3)	6F-19
Section 6F.30	NEW TRAFFIC PATTERN AHEAD Sign (W23-2P-DE).....	6F-19
Section 6F.31	Flagger Signs (W20-7, W20-7-DE, W20-7a).....	6F-20
Section 6F.32	Two-Way Traffic Sign (W6-3).....	6F-20
Section 6F.33	Workers Signs (W21-1, W21-1a).....	6F-21
Section 6F.34	FRESH OIL (TAR) Sign (W21-2)	6F-21
Section 6F.35	ROAD MACHINERY AHEAD Sign (W21-3).....	6F-21
Section 6F.36	Motorized Traffic Signs (W8-6, W11-10)	6F-21
Section 6F.37	Shoulder Work Signs (W21-5, W21-5a, W21-5b)	6F-21
Section 6F.38	SURVEY CREW Sign (W21-6).....	6F-22
Section 6F.39	UTILITY WORK Sign (W21-7)	6F-22
Section 6F.40	Signs for Blasting Areas.....	6F-22
Section 6F.41	BLASTING ZONE AHEAD Sign (W22-1).....	6F-22
Section 6F.42	TURN OFF 2-WAY RADIO AND CELL PHONE Sign (W22-2).....	6F-22
Section 6F.43	END BLASTING ZONE Sign (W22-3).....	6F-22
Section 6F.44	Shoulder Signs and Plaque (W8-4, W8-9, W8-17, and W8-17P)	6F-22
Section 6F.45	UNEVEN LANES Sign (W8-11).....	6F-23
Section 6F.46	STEEL PLATE AHEAD Sign (W8-24).....	6F-23
Section 6F.47	NO CENTER LINE Sign (W8-12).....	6F-23
Section 6F.48	Reverse Curve Signs (W1-4 Series)	6F-23
Section 6F.49	Double Reverse Curve Signs (W24-1 Series)	6F-23
Section 6F.50	Other Warning Signs	6F-24
Section 6F.51	Special Warning Signs	6F-24
Section 6F.52	Advisory Speed Plaque (W13-1P).....	6F-24
Section 6F.53	Supplementary Distance Plaque (W7-3aP)	6F-24
Section 6F.54	Motorcycle Plaque (W8-15P).....	6F-25
Section 6F.55	Guide Signs	6F-25
Section 6F.56	ROAD WORK NEXT XX MILES Sign (G20-1).....	6F-25

Section 6F.57	END ROAD WORK Sign (G20-2)	6F-26
Section 6F.58	PILOT CAR FOLLOW ME Sign (G20-4).....	6F-26
Section 6F.59	Detour Signs (M4-8, M4-8a, M4-8b, M4-9, M4-9-DE, M4-9a, M4-9b, M4-9c, and M4-10)	6F-26
Section 6F.60	Portable Changeable Message Signs.....	6F-27
Section 6F.61	Arrow Boards	6F-30
Section 6F.62	High-Level Warning Devices (Flag Trees).....	6F-32
Section 6F.63	Channelizing Devices.....	6F-33
Section 6F.64	Cones	6F-35
Section 6F.65	Tubular Markers.....	6F-36
Section 6F.66	Vertical Panels.....	6F-36
Section 6F.67	Drums	6F-37
Section 6F.68	Type 1, 2, or 3 Barricades	6F-37
Section 6F.69	Direction Indicator Barricades	6F-39
Section 6F.70	Temporary Traffic Barriers as Channelizing Devices.....	6F-39
Section 6F.71	Longitudinal Channelizing Devices	6F-40
Section 6F.72	Temporary Lane Separators	6F-40
Section 6F.73	Other Channelizing Devices.....	6F-41
Section 6F.74	Detectable Edging for Pedestrians	6F-41
Section 6F.75	Temporary Raised Islands	6F-42
Section 6F.76	Opposing Traffic Lane Divider and Sign (W6-4)	6F-42
Section 6F.77	Pavement Markings	6F-42
Section 6F.78	Temporary Markings	6F-43
Section 6F.79	Temporary Raised Pavement Markers	6F-44
Section 6F.80	Delineators.....	6F-44
Section 6F.81	Lighting Devices	6F-45
Section 6F.82	Floodlights.....	6F-45
Section 6F.83	Warning Lights.....	6F-46
Section 6F.84	Temporary Traffic Control Signals	6F-47
Section 6F.85	Temporary Traffic Barriers	6F-49
Section 6F.86	Crash Cushions.....	6F-51
Section 6F.87	Rumble Strips	6F-53
Section 6F.88	Screens.....	6F-53

CHAPTER 6G. TYPE OF TEMPORARY TRAFFIC CONTROL ZONE ACTIVITIES

Section 6G.01	Typical Applications	6G-1
Section 6G.02	Work Duration.....	6G-1
Section 6G.03	Location of Work	6G-3
Section 6G.04	Modifications To Fulfill Special Needs	6G-3
Section 6G.05	Work Affecting Pedestrian and Bicycle Facilities	6G-4
Section 6G.06	Work Outside of the Shoulder.....	6G-5
Section 6G.07	Work on the Shoulder with No Encroachment	6G-6
Section 6G.08	Work on the Shoulder with Minor Encroachment	6G-6
Section 6G.09	Work Within the Median.....	6G-7
Section 6G.10	Work Within the Traveled Way of a Two-Lane Highway.....	6G-7
Section 6G.11	Work Within the Traveled Way of an Urban Street.....	6G-8
Section 6G.12	Work Within the Traveled Way of a Multi-Lane, Non-Access Controlled Highway.....	6G-8
Section 6G.13	Work Within the Traveled Way at an Intersection	6G-10
Section 6G.14	Work Within the Traveled Way of an Interstate, Freeway, or Expressway	6G-11
Section 6G.15	Two-Lane, Two-Way Traffic on One Roadway of a Normally Divided Highway.....	6G-12
Section 6G.16	Crossovers	6G-12
Section 6G.17	Interchanges.....	6G-12
Section 6G.18	Work in the Vicinity of a Grade Crossing.....	6G-12
Section 6G.19	Temporary Traffic Control During Nighttime Hours.....	6G-13
Section 6G.20	Vertical Difference.....	6G-14

Section 6G.21	Storage of Equipment	6G-16
---------------	----------------------------	-------

CHAPTER 6H. TYPICAL APPLICATIONS

Section 6H.01	Typical Applications	6H-1
---------------	----------------------------	------

CHAPTER 6I. CONTROL OF TRAFFIC THROUGH TRAFFIC INCIDENT MANAGEMENT AREAS

Section 6I.01	General	6I-1
Section 6I.02	Major Traffic Incidents	6I-2
Section 6I.03	Intermediate Traffic Incidents	6I-3
Section 6I.04	Minor Traffic Incidents	6I-4
Section 6I.05	Use of Emergency-Vehicle Lighting.....	6I-4

PART 7. TRAFFIC CONTROL FOR SCHOOL AREAS

CHAPTER 7A. GENERAL

Section 7A.01	Need for Standards	7A-1
Section 7A.02	School Routes and Established School Crossings.....	7A-2
Section 7A.03	School Crossing Control Criteria	7A-3
Section 7A.04	Scope	7A-3

CHAPTER 7B. SIGNS

Section 7B.01	Size of School Signs.....	7B-1
Section 7B.02	Illumination and Reflectorization.....	7B-2
Section 7B.03	Position of Signs.....	7B-2
Section 7B.04	Height of Signs.....	7B-2
Section 7B.05	Installation of Signs.....	7B-2
Section 7B.06	Lettering	7B-2
Section 7B.07	Sign Color for School Warning Signs	7B-2
Section 7B.08	School Sign (S1-1) and Plaques	7B-3
Section 7B.09	School Zone Sign (S1-1) and Plaques (S4-3P, S4-7P) and END SCHOOL ZONE Sign (S5-2).....	7B-3
Section 7B.10	Higher Fines Zone Signs (R2-10, R2-11) and Plaques	7B-3
Section 7B.11	School Advance Crossing Assembly.....	7B-5
Section 7B.12	School Crossing Assembly.....	7B-5
Section 7B.13	School Bus Stop Ahead Sign (S3-1)	7B-11
Section 7B.14	SCHOOL BUS TURN AHEAD Sign (S3-2)	7B-11
Section 7B.15	School Speed Limit Assembly (S4-1P, S4-2P, S4-3P, S4-4P, S4-6P, S5-1) and END SCHOOL SPEED LIMIT Sign (S5-3)	7B-11
Section 7B.16	Reduced School Speed Limit Ahead Sign (S4-5, S4-5a)	7B-13
Section 7B.17	Parking and Stopping Signs (R7 and R8 Series)	7B-13
Section 7B.18	Flashing Beacons at School Crossings (DE Revision).....	7B-13

CHAPTER 7C. MARKINGS

Section 7C.01	Functions and Limitations	7C-1
Section 7C.02	Crosswalk Markings	7C-1
Section 7C.03	Pavement Word, Symbol, and Arrow Markings	7C-1
Section 7C.04	Stop Lines (DE Revision).....	7C-2

CHAPTER 7D. CROSSING SUPERVISION

Section 7D.01	Types of Crossing Supervision.....	7D-1
Section 7D.02	Adult Crossing Guards	7D-1
Section 7D.03	Qualifications of Adult Crossing Guards	7D-1
Section 7D.04	Uniform of Adult Crossing Guards	7D-1

Section 7D.05	Operating Procedures for Adult Crossing Guards.....	7D-1
---------------	---	------

PART 8. TRAFFIC CONTROL FOR RAILROAD AND LIGHT RAIL TRANSIT GRADE CROSSINGS

CHAPTER 8A. GENERAL

Section 8A.01	Introduction	8A-1
Section 8A.02	Use of Standard Devices, Systems, and Practices at Highway-Rail Grade Crossings.....	8A-2
Section 8A.03	Use of Standard Devices, Systems, and Practices at Highway-LRT Grade Crossings	8A-2
Section 8A.04	Uniform Provisions	8A-3
Section 8A.05	Grade Crossing Elimination	8A-4
Section 8A.06	Illumination at Grade Crossings.....	8A-4
Section 8A.07	Quiet Zone Treatments at Highway-Rail Grade Crossings.....	8A-4
Section 8A.08	Temporary Traffic Control Zones	8A-4

CHAPTER 8B. SIGNS AND MARKINGS

Section 8B.01	Purpose	8B-1
Section 8B.02	Sizes of Grade Crossing Signs	8B-1
Section 8B.03	Grade Crossing (Crossbuck) Sign (R15-1) and Number of Tracks Plaque (R15-2P) at Active and Passive Grade Crossings	8B-1
Section 8B.04	Crossbuck Assemblies with YIELD or STOP Signs at Passive Grade Crossings	8B-4
Section 8B.05	Use of STOP (R1-1) or YIELD (R1-2) Signs without Crossbuck Signs at Highway-LRT Grade Crossings	8B-8
Section 8B.06	Grade Crossing Advance Warning Signs (W10 Series).....	8B-9
Section 8B.07	EXEMPT Grade Crossing Plaques (R15-3P, W10-1aP).....	8B-10
Section 8B.08	Turn Restrictions During Preemption	8B-10
Section 8B.09	DO NOT STOP ON TRACKS Sign (R8-8).....	8B-11
Section 8B.10	TRACKS OUT OF SERVICE Sign (R8-9).....	8B-11
Section 8B.11	STOP HERE WHEN FLASHING Signs (R8-10, R8-10a)	8B-12
Section 8B.12	STOP HERE ON RED Signs (R10-6, R10-6a)	8B-12
Section 8B.13	Light Rail Transit Only Lane Signs (R15-4 Series)	8B-12
Section 8B.14	Do Not Pass Light Rail Transit Signs (R15-5, R15-5a)	8B-12
Section 8B.15	No Motor Vehicles On Tracks Signs (R15-6, R15-6a)	8B-13
Section 8B.16	Divided Highway with Light Rail Transit Crossing Signs (R15-7 Series)	8B-13
Section 8B.17	LOOK Sign (R15-8)	8B-13
Section 8B.18	Emergency Notification Sign (I-13)	8B-13
Section 8B.19	Light Rail Transit Approaching-Activated Blank-Out Warning Sign (W10-7).....	8B-14
Section 8B.20	TRAIN MAY EXCEED 80 MPH Sign (W10-8).....	8B-14
Section 8B.21	NO TRAIN HORN Sign or Plaque (W10-9, W10-9P)	8B-14
Section 8B.22	NO GATES OR LIGHTS Plaque (W10-13P).....	8B-15
Section 8B.23	Low Ground Clearance Grade Crossing Sign (W10-5)	8B-15
Section 8B.24	Storage Space Signs (W10-11, W10-11a, W10-11b).....	8B-15
Section 8B.25	Skewed Crossing Sign (W10-12)	8B-16
Section 8B.26	Light Rail Transit Station Sign (I-12)	8B-16
Section 8B.27	Pavement Markings	8B-16
Section 8B.28	Stop and Yield Lines	8B-16
Section 8B.29	Dynamic Envelope Markings	8B-17

CHAPTER 8C. FLASHING-LIGHT SIGNALS, GATES, AND TRAFFIC CONTROL SIGNALS

Section 8C.01	Introduction	8C-1
Section 8C.02	Flashing-Light Signals.....	8C-3
Section 8C.03	Flashing-Light Signals at Highway-LRT Grade Crossings.....	8C-4
Section 8C.04	Automatic Gates	8C-4

Section 8C.05	Use of Automatic Gates at LRT Grade Crossings	8C-5
Section 8C.06	Four-Quadrant Gate Systems	8C-5
Section 8C.07	Wayside Horn Systems.....	8C-8
Section 8C.08	Rail Traffic Detection.....	8C-8
Section 8C.09	Traffic Control Signals at or Near Highway-Rail Grade Crossings.....	8C-8
Section 8C.10	Traffic Control Signals at or Near Highway-LRT Grade Crossings.....	8C-10
Section 8C.11	Use of Traffic Control Signals for Control of LRT Vehicles at Grade Crossings.....	8C-11
Section 8C.12	Grade Crossings Within or In Close Proximity to Circular Intersections.....	8C-13
Section 8C.13	Pedestrian and Bicycle Signals and Crossings at LRT Grade Crossings.....	8C-13

CHAPTER 8D. PATHWAY GRADE CROSSINGS

Section 8D.01	Purpose	8D-1
Section 8D.02	Use of Standard Devices, Systems, and Practices.....	8D-1
Section 8D.03	Pathway Grade Crossing Signs and Markings	8D-1
Section 8D.04	Stop Lines, Edge Lines, and Detectable Warnings	8D-1
Section 8D.05	Passive Devices for Pathway Grade Crossings	8D-3
Section 8D.06	Active Traffic Control Systems for Pathway Grade Crossings.....	8D-3

PART 9.

CHAPTER 9A. GENERAL

Section 9A.01	Requirements for Bicyclist Traffic Control Devices.....	9A-1
Section 9A.02	Scope	9A-1
Section 9A.03	Definitions Relating to Bicycles	9A-1
Section 9A.04	Maintenance	9A-1
Section 9A.05	Relation to Other Documents	9A-1
Section 9A.06	Placement Authority.....	9A-1
Section 9A.07	Meaning of Standard, Guidance, Option, and Support	9A-1
Section 9A.08	Colors	9A-2

CHAPTER 9B. SIGNS

Section 9B.01	Application and Placement of Signs	9B-1
Section 9B.02	Design of Bicycle Signs	9B-1
Section 9B.03	STOP and YIELD Signs (R1-1, R1-2)	9B-4
Section 9B.04	Bike Lane Signs and Plaques (R3-17, R3-17aP, R3-17bP).....	9B-4
Section 9B.05	BEGIN RIGHT TURN LANE (RIGHT TURNS) YIELD TO BIKES Signs (R4-4, R4-4-DE)	9B-6
Section 9B.06	Bicycles May Use Full Lane Sign (R4-11)	9B-7
Section 9B.07	Bicycle WRONG WAY Sign and RIDE WITH TRAFFIC Plaque (R5-1b, R9-3cP).....	9B-7
Section 9B.08	NO MOTOR VEHICLES Sign (R5-3).....	9B-7
Section 9B.09	Selective Exclusion Signs	9B-7
Section 9B.10	No Parking Bike Lane Signs (R7-9, R7-9a).....	9B-8
Section 9B.11	Bicycle Regulatory Signs (R9-5, R9-6, R10-4, R10-24, R10-25, and R10-26)	9B-8
Section 9B.12	Shared-Use Path Restriction Sign (R9-7).....	9B-8
Section 9B.13	Bicycle Signal Actuation Sign (R10-22).....	9B-8
Section 9B.14	Other Regulatory Signs	9B-9
Section 9B.15	Turn or Curve Warning Signs (W1 Series).....	9B-9
Section 9B.16	Intersection Warning Signs (W2 Series)	9B-10
Section 9B.17	Bicycle Surface Condition Warning Sign (W8-10)	9B-10
Section 9B.18	Bicycle Warning and Combined Bicycle/Pedestrian Signs (W11-1 and W11-15).....	9B-11
Section 9B.19	Other Bicycle Warning Signs.....	9B-11
Section 9B.20	Bicycle Guide Signs (D1-1b, D1-1c, D1-2b, D1-2c, D1-3b, D1-3c, D11-1, D11-1c)	9B-11
Section 9B.21	Bicycle Route Signs (M1-8, M1-8a, M1-9)	9B-15
Section 9B.22	Bicycle Route Sign Auxiliary Plaques	9B-17
Section 9B.23	Bicycle Parking Area Sign (D4-3).....	9B-18

Section 9B.24	Reference Location Signs (D10-1 through D10-3) and Intermediate Reference Location Signs (D10-1a through D10-3a)	9B-18
Section 9B.25	Mode-Specific Guide Signs for Shared-Use Paths (D11-1a, D11-2, D11-3, D11-4).....	9B-18
Section 9B.26	Object Markers	9B-19

CHAPTER 9C. MARKINGS

Section 9C.01	Functions of Markings.....	9C-1
Section 9C.02	General Principles	9C-1
Section 9C.03	Marking Patterns and Colors on Shared-Use Paths.....	9C-1
Section 9C.04	Markings For Bicycle Lanes	9C-9
Section 9C.05	Bicycle Detector Symbol.....	9C-11
Section 9C.06	Pavement Markings for Obstructions.....	9C-11
Section 9C.07	Shared Lane Marking	9C-11

CHAPTER 9D. SIGNALS

Section 9D.01	Application	9D-1
Section 9D.02	Signal Operations for Bicycles.....	9D-1

APPENDIX A1. CONGRESSIONAL LEGISLATION.....

APPENDIX A2. METRIC CONVERSIONS

INDEX

MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES

INTRODUCTION

Standard:

- 01 Traffic control devices shall be defined as all signs, signals, markings, and other devices used to regulate, warn, or guide traffic, placed on, over, or adjacent to a street, highway, pedestrian facility, bikeway, or private road open to public travel (see definition in Section 1A.13) by authority of a public agency or official having jurisdiction, or, in the case of a private road, by authority of the private owner or private official having jurisdiction.
- 02 The Manual on Uniform Traffic Control Devices (MUTCD) is incorporated by reference in 23 Code of Federal Regulations (CFR), Part 655, Subpart F and shall be recognized as the national standard for all traffic control devices installed on any street, highway, bikeway, or private road open to public travel (see definition in Section 1A.13) in accordance with 23 U.S.C. 109(d) and 402(a). The policies and procedures of the Federal Highway Administration (FHWA) to obtain basic uniformity of traffic control devices shall be as described in 23 CFR 655, Subpart F.
- 03 In accordance with 23 CFR 655.603(a), for the purposes of applicability of the MUTCD:
 - A. Toll roads under the jurisdiction of public agencies or authorities or public-private partnerships shall be considered to be public highways;
 - B. Private roads open to public travel shall be as defined in Section 1A.13; and
 - C. Parking areas, including the driving aisles within those parking areas, that are either publicly or privately owned shall not be considered to be “open to public travel” for purposes of MUTCD applicability.
- 04 Any traffic control device design or application provision contained in this Manual shall be considered to be in the public domain. Traffic control devices contained in this Manual shall not be protected by a patent, trademark, or copyright, except for the Interstate Shield and any items owned by FHWA.

Support:

- 05 Pictographs, as defined in Section 1A.13, are embedded in traffic control devices but the pictographs themselves are not considered traffic control devices for the purposes of Paragraph 4.
- 06 The need for uniform standards was recognized long ago. The American Association of State Highway Officials (AASHO), now known as the American Association of State Highway and Transportation Officials (AASHTO), published a manual for rural highways in 1927, and the National Conference on Street and Highway Safety (NCSHS) published a manual for urban streets in 1930. In the early years, the necessity for unification of the standards applicable to the different classes of road and street systems was obvious. To meet this need, a joint committee of AASHO and NCSHS developed and published the original edition of this Manual on Uniform Traffic Control Devices (MUTCD) in 1935. That committee, now called the National Committee on Uniform Traffic Control Devices (NCUTCD), though changed from time to time in name, organization, and personnel, has been in continuous existence and has contributed to periodic revisions of this Manual. The FHWA has administered the MUTCD since the 1971 edition. The FHWA and its predecessor organizations have participated in the development and publishing of the previous editions. There were nine previous editions of the MUTCD, and several of those editions were revised one or more times. Table I-1 traces the evolution of the MUTCD, including the two manuals developed by AASHO and NCSHS.

Standard:

- 07 The U.S. Secretary of Transportation, under authority granted by the Highway Safety Act of 1966, decreed that traffic control devices on all streets and highways open to public travel in accordance with 23 U.S.C. 109(d) and 402(a) in each State shall be in substantial conformance with the Standards issued or endorsed by the FHWA.

Support:

- 08 The “Uniform Vehicle Code (UVC)” is one of the publications referenced in the MUTCD. The UVC contains a model set of motor vehicle codes and traffic laws for use throughout the United States.

Table I-1. Evolution of the MUTCD

Year	Name	Month / Year Revised
1927	Manual and Specifications for the Manufacture, Display, and Erection of U.S. Standard Road Markers and Signs (for rural roads)	4/29, 12/31
1930	Manual on Street Traffic Signs, Signals, and Markings (for urban streets)	No revisions
1935	Manual on Uniform Traffic Control Devices for Streets and Highways (MUTCD)	2/39
1942	Manual on Uniform Traffic Control Devices for Streets and Highways — War Emergency Edition	No revisions
1948	Manual on Uniform Traffic Control Devices for Streets and Highways	9/54
1961	Manual on Uniform Traffic Control Devices for Streets and Highways	No revisions
1971	Manual on Uniform Traffic Control Devices for Streets and Highways	11/71, 4/72, 3/73, 10/73, 6/74, 6/75, 9/76, 12/77
1978	Manual on Uniform Traffic Control Devices for Streets and Highways	12/79, 12/83, 9/84, 3/86
1988	Manual on Uniform Traffic Control Devices for Streets and Highways	1/90, 3/92, 9/93, 11/94, 12/96, 6/98, 1/00
2000	Manual on Uniform Traffic Control Devices for Streets and Highways — Millennium Edition	7/02
2003	Manual on Uniform Traffic Control Devices for Streets and Highways	11/04, 12/07
2009	Manual on Uniform Traffic Control Devices for Streets and Highways	

Guidance:

09 *The States should adopt Section 15-116 of the UVC, which states that, “No person shall install or maintain in any area of private property used by the public any sign, signal, marking, or other device intended to regulate, warn, or guide traffic unless it conforms with the State manual and specifications adopted under Section 15-104.”*

Support:

10 The Standard, Guidance, Option, and Support material described in this edition of the MUTCD provide the transportation professional with the information needed to make appropriate decisions regarding the use of traffic control devices on streets, highways, bikeways, and private roads open to public travel (see definition in Section 1A.13).

11 Throughout this Manual the headings Standard, Guidance, Option, and Support are used to classify the nature of the text that follows. Figures and tables, including the notes contained therein, supplement the text and might constitute a Standard, Guidance, Option, or Support. The user needs to refer to the appropriate text to classify the nature of the figure, table, or note contained therein.

Standard:

12 **When used in this Manual, the text headings of Standard, Guidance, Option, and Support shall be as defined in Paragraph 1 of Section 1A.13.**

Support:

13 Throughout this Manual all dimensions and distances are provided in English units. Appendix A2 contains tables for converting each of the English unit numerical values that are used in this Manual to the equivalent Metric (International System of Units) values.

Guidance:

14 *If Metric units are to be used in laying out distances or determining sizes of devices, such units should be specified on plan drawings and made known to those responsible for designing, installing, or maintaining traffic control devices.*

15 *Except when a specific numeral is required or recommended by the text of a Section of this Manual, numerals displayed on the images of devices in the figures that specify quantities such as times, distances, speed limits, and weights should be regarded as examples only. When installing any of these devices, the numerals should be appropriately altered to fit the specific situation.*

Support:

- 16 The following information will be useful when reference is being made to a specific portion of text in this Manual.
- 17 There are nine Parts in this Manual and each Part is comprised of one or more Chapters. Each Chapter is comprised of one or more Sections. Parts are given a numerical identification, such as Part 2 – Signs. Chapters are identified by the Part number and a letter, such as Chapter 2B – Regulatory Signs, Barricades, and Gates. Sections are identified by the Chapter number and letter followed by a decimal point and a number, such as Section 2B.03 – Size of Regulatory Signs.
- 18 Each Section is comprised of one or more paragraphs. The paragraphs are indented and are identified by a number. Paragraphs are counted from the beginning of each Section without regard to the intervening text headings (Standard, Guidance, Option, or Support). Some paragraphs have lettered or numbered items. As an example of how to cite this Manual, the phrase “Not less than 40 feet beyond the stop line” that appears in Section 4D.14 of this Manual would be referenced in writing as “Section 4D.14, P1, A.1,” and would be verbally referenced as “Item A.1 of Paragraph 1 of Section 4D.14.”

Standard:

- 19 In accordance with 23 CFR 655.603(b)(3), States or other Federal agencies that have their own MUTCDs or Supplements shall revise these MUTCDs or Supplements to be in substantial conformance with changes to the National MUTCD within 2 years of the effective date of the Final Rule for the changes. Substantial conformance of such State or other Federal agency MUTCDs or Supplements shall be as defined in 23 CFR 655.603(b)(1).
- 20 After the effective date of a new edition of the MUTCD or a revision thereto, or after the adoption thereof by the State, whichever occurs later, new or reconstructed devices installed shall be in compliance with the new edition or revision.
- 21 In cases involving Federal-aid projects for new highway or bikeway construction or reconstruction, the traffic control devices installed (temporary or permanent) shall be in conformance with the most recent edition of the National MUTCD before that highway is opened or re-opened to the public for unrestricted travel [23 CFR 655.603(d)(2) and (d)(3)].
- 22 Unless a particular device is no longer serviceable, non-compliant devices on existing highways and bikeways shall be brought into compliance with the current edition of the National MUTCD as part of the systematic upgrading of substandard traffic control devices (and installation of new required traffic control devices) required pursuant to the Highway Safety Program, 23 U.S.C. §402(a). The FHWA has the authority to establish other target compliance dates for implementation of particular changes to the MUTCD [23 CFR 655.603(d)(1)]. These target compliance dates established by the FHWA shall be as shown in Table I-2.
- 23 Except as provided in Paragraph 24, when a non-compliant traffic control device is being replaced or refurbished because it is damaged, missing, or no longer serviceable for any reason, it shall be replaced with a compliant device.

Option:

- 24 (DE Revision) A damaged, missing, or otherwise non-serviceable device that is non-compliant may be replaced in kind if engineering judgment indicates that:

- A. One compliant device in the midst of a series of adjacent non-compliant devices would be confusing to road users; and/or
- B. The schedule for replacement of the whole series of non-compliant devices will result in achieving timely compliance with the MUTCD.
- C. The conversion to a compliant device would result in a significant delay in the installation of a safety-critical traffic control device (for instance, due to cost, engineering, environmental approval, etc.).

Table I-2. Target Compliance Dates Established by the FHWA (Sheet 1 of 3)

2009 MUTCD Section Number(s)	2009 MUTCD Section Title	Specific Provision	Compliance Date
2A.08	Minimum Retroreflectivity Levels	Implementation and continued use of an assessment or management method that is designed to maintain traffic sign retroreflectivity at or above the established minimum levels	January 22, 2012 (c)
2A.08	Minimum Retroreflectivity Levels	Replacement of regulatory, warning, and post-mounted guide (except street name) signs that are identified using the assessment or management method as failing to meet the established minimum levels	January 22, 2015 (c)
2A.08	Minimum Retroreflectivity Levels	Replacement of street name signs and overhead guide signs that are identified using the assessment or management method as failing to meet the established minimum levels.	January 22, 2018 (c)
2A.19	Lateral Offset	Crashworthiness of sign supports on roads with posted speed limit of 50 mph or higher	January 17, 2013 (a)
2B.03	Size of Regulatory Signs	Increased sign sizes and other 2003 MUTCD revisions to Table 2B-1 (*)	December 22, 2013 (b)
2B.09	YIELD Sign Applications	Changes in YIELD sign application criteria from the 1988 MUTCD to the 2003 MUTCD (*)	January 17, 2011 (a)
2B.10	STOP Sign or YIELD Sign Placement	Signs mounted on the back of STOP or YIELD signs should not obscure shape of STOP sign, with exception for DO NOT ENTER signs (2003 MUTCD Sections 2B.06 and 2B.10) (*)	December 22, 2013 (b)
2B.11	Yield Here To Pedestrians Signs and Stop Here For Pedestrians Signs (R1-5 Series)	New Section 2B.11 in the 2003 MUTCD (*)	December 22, 2013 (b)
2B.13	Speed Limit Sign (R2-1)	Color of changeable message legend of YOUR SPEED legend	December 22, 2013 (b)
2B.26	Reversible Lane Control Signs (R3-9e through R3-9i)	Removal of the R3-9c and R3-9e signs that had been included in the 2000 MUTCD (2003 MUTCD Section 2B.25)	December 22, 2013 (b)
2B.40	ONE WAY Signs (R6-1, R6-2)	New requirement in the 2009 MUTCD for the number and locations of ONE WAY signs	December 31, 2019
2B.55	Photo Enforced Signs and Plaques (R10-18, R10-19P, R10-19aP)	New signs (2003 MUTCD Section 2B.46) (*)	December 22, 2013 (b)
2C.04	Size of Warning Signs	New sizes in the 2003 MUTCD for the W1 Series arrow signs, the W12-2a low clearance signs, the W7 Series runaway truck signs, and the W10-1 advance grade crossing sign (*)	December 22, 2013 (b)
2C.06 through 2C.14	Horizontal Alignment Warning Signs	Revised requirements in the 2009 MUTCD regarding the use of various horizontal alignment signs	December 31, 2019
2C.13	Truck Rollover Warning Sign (W1-13)	New W1-13 sign (2003 MUTCD Section 2C.11)	December 22, 2013 (b)
2C.20	NARROW BRIDGE Sign (W5-2)	Elimination of symbol sign (2003 MUTCD Section 2C.16)	December 22, 2013 (b)
2C.30	PAVEMENT ENDS Sign (W8-3)	Removal of symbol sign (2000 MUTCD Section 2C.23)	January 17, 2011 (a)
2C.38	Reduced Speed Limit Ahead Signs (W3-5, W3-5a)	Removal of R2-5 Series Reduced Speed Ahead signs and use of W3-5 or W3-5a warning signs instead (2003 MUTCD Section 2C.30)	December 22, 2018 (b)
2C.40	Merge Signs (W4-1, W4-5)	New Entering Roadway Merge sign (W4-5) (2003 MUTCD Section 2C.31)	December 22, 2013 (b)
2C.41	Added Lane Signs (W4-3, W4-6)	New Entering Roadway Added Lane sign (W4-6) (2003 MUTCD Section 2C.32)	December 22, 2013 (b)
2C.42	Lane Ends Signs (W4-2, W9-1, W9-2)	New design of W4-2 sign (2003 MUTCD Section 2C.33)	December 22, 2013 (b)

Table I-2. Target Compliance Dates Established by the FHWA (Sheet 2 of 3)

2009 MUTCD Section Number(s)	2009 MUTCD Section Title	Specific Provision	Compliance Date
2C.46	Intersection Warning Signs (W2-1 through W2-8)	New design of Circular Intersection (W2-6) sign (2003 MUTCD Section 2C.37)	December 22, 2013 (b)
2C.49	Vehicular Traffic Warning Signs	New symbol signs W11-1, W11-5, W11-5a, W11-6, W11-11, and W11-14 (2003 MUTCD Section 2C.40)	December 22, 2013 (b)
2C.50	Non-Vehicular Warning Signs	Elimination of crosswalk lines from crossing signs and use of diagonal downward pointing arrow (W16-7P) supplemental plaque if at the crossing (2003 MUTCD Section 2C.41)	January 17, 2011 (a)(b)
2C.61	PHOTO ENFORCED Plaque (W16-10P)	New plaque (2003 MUTCD Section 2C.53) (*)	December 22, 2013 (b)
2C.63	Object Marker Design and Placement Height	Width of stripes on Type 3 striped marker (2003 MUTCD Section 3C.01)	December 22, 2013 (b)
2D.43	Street Name Signs (D3-1 or D3-1a)	6-inch letter height for lettering on post-mounted Street Name signs (except on multi-lane streets with speed limits greater than 40 mph) (2000 MUTCD Section 2D.38)	January 9, 2012 (a)
2D.43	Street Name Signs (D3-1 or D3-1a)	8-inch letter height on post-mounted signs on multi-lane streets with speed limits greater than 40 mph and 12-inch letter height on overhead signs (2003 MUTCD Section 2D.38)	December 22, 2018 (b)
2D.44	Advance Street Name Signs (D3-2)	Requirements of new Section 2D.39 in the 2003 MUTCD	December 22, 2018 (b)
2D.45	Signing on Conventional Roads on Approaches to Interchanges	New requirement in the 2009 MUTCD for multi-lane approaches to interchanges to have guide signs to identify which direction of turn is to be made for access to each direction of the freeway or expressway	December 31, 2019
2E.31, 2E.33, and 2E.36	Plaques for Left-Hand Exits	New requirement in the 2009 MUTCD to use E1-5aP and E1-5bP plaques for left-hand exits	December 31, 2014
2G.01 through 2G.07	Regulatory Signs for Preferential Lanes	Requirements for regulatory signs for preferential lanes (2003 MUTCD Sections 2B.26 through 2B.28) (*)	December 22, 2013 (b)
2G.11 through 2G.15	Preferential Lane Guide Signs	New Section 2E.59 in the 2003 MUTCD (*)	December 22, 2013 (b)
2H.02, 2H.03	Reference Location Signs, Intermediate Reference Location Signs, and Enhanced Reference Location Signs	Location and spacing of Reference Location signs and design of Intermediate Reference Location signs (2003 MUTCD Sections 2D.46 and 2E.54)	December 22, 2013 (b)
2I.07	Radio Information Signing	New Channel 9 Monitored (D12-3) sign (2003 MUTCD Section 2D.45)	December 22, 2013 (b)
2I.08	TRAVEL INFO CALL 511 Signs (D12-5 and D12-5a)	New TRAVEL INFO CALL 511 Sign (D12-5) (2003 MUTCD Section 2D.45)	December 22, 2013 (b)
2J.05	Size of Lettering	Minimum height of letters and numerals on Specific Service signs (2000 MUTCD Section 2F.05)	January 17, 2011 (a)
2N.03	Evacuation Route Signs (EM-1 and EM-1a)	New design and size of EM-1 sign (2003 MUTCD Section 2I.03)	December 22, 2018 (b)
3B.04, 3B.05	White Longitudinal Pavement Markings	New requirement in the 2009 MUTCD for dotted lane lines for dropped lanes and for acceleration, deceleration, and auxiliary lanes	December 31, 2016 or resurfacing, whichever occurs first
3B.18	Crosswalk Markings	Gap between transverse lines of a crosswalk (2003 MUTCD Section 3B.17)	December 22, 2013 (b)
4D.01	General	Location of signalized midblock crosswalks	December 22, 2013 (b)
4D.26	Yellow Change and Red Clearance Intervals	New requirement in the 2009 MUTCD that durations of yellow change and red clearance intervals shall be determined using engineering practices	December 31, 2014, or when timing adjustments are made to the individual intersection and/or corridor, whichever occurs first

Table I-2. Target Compliance Dates Established by the FHWA (Sheet 3 of 3)

2009 MUTCD Section Number(s)	2009 MUTCD Section Title	Specific Provision	Compliance Date
4D.31	Flashing Operation—Transition Out of Flashing Mode	Duration of steady red clearance interval in change from red-red flashing mode to steady (stop-and-go) mode (2003 MUTCD Section 4D.12)	December 22, 2013 (b)
4E.06	Pedestrian Intervals and Signal Phases	New requirement in the 2009 MUTCD that the pedestrian change interval shall not extend into the red clearance interval and shall be followed by a buffer interval of at least 3 seconds	December 31, 2014, or when timing adjustments are made to the individual intersection and/or corridor, whichever occurs first
4E.07	Countdown Pedestrian Signals	Pedestrian countdown hardware requirements	December 22, 2013 (b)
5C.05	NARROW BRIDGE Sign (W5-2)	Elimination of symbol sign	December 22, 2013 (b)
6D.03	Worker Safety Considerations	New requirement in the 2009 MUTCD that all workers within the right-of-way shall wear high-visibility apparel	December 31, 2011
6E.02	High-Visibility Safety Apparel	New requirement in the 2009 MUTCD that all flaggers within the right-of-way shall wear high-visibility apparel	December 31, 2011
7B.11	School Advance Crossing Assembly	Use of AHEAD (W16-9P) plaque or distance plaque (W16-2P or W16-2aP) (2000 MUTCD Section 7B.08)	January 17, 2011 (a)
7B.12	School Crossing Assembly	Elimination of crosswalk lines from crossing signs and use of diagonal downward pointing arrow (W16-7P) supplemental plaque (2000 MUTCD Sections 7B.08 and 7B.09)	January 17, 2011 (a)
7B.16	Reduced School Speed Limit Ahead Sign (S4-5, S4-5a)	Removal of R2-5 Series Reduced Speed Ahead signs and use of S4-5 or S4-5a warning signs instead (2003 MUTCD Section 7B.12)	December 22, 2018 (b)
7D.04	Uniform of Adult Crossing Guards	New requirement in the 2009 MUTCD for high-visibility apparel for adult crossing guards	December 31, 2011
8B.03	Grade Crossing (Crossbuck) Sign (R15-1) and Number of Tracks Plaque (R15-2P) at Active and Passive Grade Crossings	Retroreflective strip on crossbuck support (2000 MUTCD Section 8B.02) (*)	January 17, 2011 (a)
8B.04	Crossbuck Assemblies with YIELD or STOP Signs at Passive Grade Crossings	New requirement in the 2009 MUTCD for the use of STOP or YIELD signs with Crossbuck signs at passive grade crossings	December 31, 2019
8B.19 and 8C.02 through 8C.05	LRT Approaching-Activated Blank-Out Warning Sign, Flashing Light Signals, and Automatic Gates	Automatic gates, flashing-light signals, and blank-out signs at highway-LRT crossings per Part 10 of the 2000 MUTCD (*)	January 17, 2011 (a)
8C.09	Traffic Control Signals at or Near Highway-Rail Grade Crossings	Pre-signals (2003 MUTCD Section 8D.07)	December 22, 2013 (b)
8C.12	Grade Crossings Within or In Close Proximity to Circular Intersections	New requirement in the 2009 MUTCD for study of grade crossings near roundabouts	December 31, 2014
9B.18	Bicycle Warning and Combined Bicycle/Pedestrian Signs (W11-1 and W11-15)	Elimination of crosswalk lines from crossing signs and use of diagonal downward pointing arrow (W16-7P) supplemental plaque if at the crossing (2000 MUTCD Section 9B.15)	January 17, 2011 (a)

Notes: Unless otherwise noted, dates are as established in the Final Rule for the 2009 MUTCD.

(a) Date established in the Final Rule for the 2000 MUTCD

(b) Date established in the Final Rule for the 2003 MUTCD

(c) Date established in the Final Rule for Revision 2 of the 2003 MUTCD

(*) Provisions may have been revised in the 2009 MUTCD